

#### WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



# INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

WO 98/05302 (11) International Publication Number: (51) International Patent Classification 6: A·1 A61K 9/12 (43) International Publication Date: 12 February 1998 (12.02.98) (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, (21) International Application Number: PCT/GB97/01502 BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GII, HU, II., IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, 3 June 1997 (03.06.97) (22) International Filing Date: LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ,

GB

(71) Applicant (for all designated States except US): NORTON

1 August 1996 (01.08.96)

HEALTHCARE LIMITED [GB/GB]; Gemini House, Flex Meadow, Harlow, Essex CM29 5TJ (GB).

(72) Inventor; and (75) Inventor/Applicant (for US only): MILLER, Fiona [GB/GB]; Norton Healthcare Limited, Gemini House, Plex Meadow, Harlow, Essex CM29 STJ (GB).

(74) Agent: PAWLYN, Anthony, Neil; Urquhart-Dykes & Lord, Tower House, Merrion Way, Leeds LS2 8PA (GB).

PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ARIPO patent (GH, KP., LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

**Published** 

With international search report.

(54) Title: AEROSOL FORMULATIONS

(57) Abstract

(30) Priority Data:

9616237.5

The replacement of chlorofluorohydrocarbon propellants in medical aerosols is of the utmost importance to the pharmaceutical industry. A number of formulations have been investigated. The present invention provides a medical aerosol formulation comprising a particular medicament, a fluorocarbon propellant and 6 to 25 % w/w of the total formulation of a polar co-solvent, such formulation being substantially free of surfactant. Cannisters suitable for delivering such a pharmaceutical formulation are also provided.

## FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

L	Alberia	ES	Spain	LS	Lexotho	\$1	Slovenia
M	Armenia	FI	Finland	LT	Lithoania	SK	Slovakia
AT	Austria	FR	Prance	LU	Luxembourg	SN	Senegal
AU	Australia	GA.	Gabon	LV	Latvia	87.	Swaziland .
AZ.	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagencer	TJ	Tajikistan
BE .	Helgium	GN	Guines	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Paso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	11	Trinidad and Tobago
BJ	Benin	. IR	treland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	larael	MR	Mauricania	UG	Uganda
BY	Belarus	IS	iceland	MW	Malswi	US	United States of America
CA .	Canada	IT	lialy	MX	Mexico	UŽ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	NN.	Viet Nam
CC	Congo	KE	Kenya	NI.	Netherlands	YU	Yugoslavia -
CH	Switzerland	KG	Kyrgyzstan .	NO	Norway	zw	Zimbabwe
CI	Câte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon	•-•	Republic of Korea	PL	Polend	,•	
CN CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ.	Kazakstan	KO .	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DR	Септапу .	ัน	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		•
EE	Estonia	LR	Liberia	SG	Singapore		

## AEROSOL FORMULATIONS

This invention relates to pharmaceutical formulations for inhalation aerosols. The Montreal Protocol on ozone depleting gases has made the reformulation of existing pharmaceutical aerosols for inhalation treatment containing chlorofluorohydrocarbon propellants, a matter of urgency for the pharmaceutical industry.

A number of hydrofluorocarbons (HFCs) have been the subject to toxicological testing and two in particular P134a (1,1,1,2-tetrafluoroethane) and P227 (1,1,1,2,3,3,3-heptafluoropropane) have been identified as safe for use in pharmaceutical aerosols.

A number of patent applications have been submitted in this field, the first being EP 372777, which discloses the use of four component mixtures, comprising a medicament, a surfactant, P134a and a co-solvent of higher polarity than the P134a, in the form of a solution or a suspension.

As inhalation aerosols are meant for administration to the lung, it has long been accepted that such formulations should contain as few ingredients as possible, to avoid putting unnecessary materials into the lung.

Historically, despite EP 372777, solution aerosols contained only medicament, propellant or propellant mixtures and, if necessary, co-solvent, usually ethanol, eg US 2868691. The use of a surfactant was normally unnecessary for solution aerosols. However, historically medicinal suspension aerosols have contained a surfactant eg US 3014844, as it was considered that the use of a surfactant was necessary to prevent agglomeration of particles, to prevent adhesion to the sides of the canister, and to aid valve lubrication and prevent valve sticking.

However it was disclosed in EP 616525 that it is possible to prepare medicament suspensions in a hydrofluorocarbon without the need for a surfactant, if a polar co-solvent was added. The normal co-solvent ethanol, has well established

physiological actions and being a pure absorbable liquid eliminates any possibility of residues remaining in the lung. Irritation or possible toxicity from the surfactant, many of which are mixtures of similar compounds, are avoided.

EP 616525 specifically limits the polar co-solvent level to 0.01 to 5% w/w and in particular states (page 3, line 55) that the preferred level is about 0.1% w/w.

According to a first aspect of the present invention there is provided a medicinal aerosol formulation comprising a particulate medicament, a fluorocarbon propellant and 6% to 25% w/w of the total formulation of a polar co-solvent, such formulation being substantially free of surfactant.

According to a second aspect of the present invention there is provided a medicinal aerosol formulation, comprising one or more particulate medicaments, one or more fluorocarbon or hydrocarbon or aliphatic gas propellants and 6% to 25% w/w of a polar co-solvent.

According to a third aspect of the present invention there is provided a canister suitable for delivering a pharmaceutical aerosol formulation, which comprises a container capable of withstanding the vapour pressure of the propellant used, which container is closed with a metering valve and contains a pharmaceutical aerosol formulation which comprises particulate medicament, a propellant consisting all or part of fluorocarbon and 6% to 25% of a polar co-solvent, which is substantially free of surfactant.

It has now been surprisingly found that higher levels of alcohol have beneficial results. Levels of 6% or more of ethanol produce satisfactory suspensions, which do not agglomerate on standing, and on reshaking produce finely dispersed medicament. It is believed that the higher levels of alcohol reduce the degree of deposition on the inside of the can. This is a very desirable feature. In addition, the use of these larger percentages of ethanol enables a much cheaper production process.

Medicinal aerosols can be filled either with one dose of liquid containing all of the ingredients mixed together or by

a two dose process where the first dose contains the medicament and all other ingredients, including co-solvents, surfactants, if any, ancillary compounds eg flavours, if any, and some times some of the propellant followed by a second dose of pure propellant. This two dose fill has major cost advantages in that the volume of mix for a fixed number of cans is significantly smaller enabling the use of smaller mixing In particular, with the use of the new HFC vessels. propellants, which have lower boiling points than the old CFC propellants, the use of a one dose fill may involve the use of cooled pressurised vessels to prevent evaporation of the propellant gas during mixing and filling. With the new formulations with added extra co-solvent a first mix of just medicament suspended in the co-solvent can be used, followed by a second dose of pure propellant. This means that the propellant can be dosed directly from a holding tank into the can without any need to mix and store with the other ingredients. For example a mix weight of 1g of medicament and co-solvent can be followed by 7.5g of propellant. In this way the volume to be mixed is reduced from 8.5g to 1g. All the examples in EP 616525 are of laboratory scale, where the handling problems are much easier, but all the formulations described are such that it would not be practicable to fill in two doses without mixing the propellant, as is the case with the present disclosure.

The description of the filling method given on page 5 lines 2-13 indicates that only a one dose filling method is envisaged.

In all cases of the present invention the medicament consists of a particle size suitable for inhalation into the lung and will thus be less than 100 microns, desirably less than 20 microns and preferably in the range of 1-10 microns, normally with a mean particle size 1-5 microns.

Medicaments which may be administered in aerosol formulations according to the invention include any drug useful in inhalation therapy which may be presented in a form which is substantially completely insoluble in the selected propellant.

Appropriate medicaments may thus be selected from, for example, analgesics, eg codeine, dihydromophine, ergotamine, fentanyl or morphine; anginal preparations, eg diltiazem; antiallergics, eg cromoglycate, ketotifen or nedocromil; anti-infectives, eg cephalosporins, penicillins, streptomycin, sulphonamides. tetracyclines and pentamidine; antihistamines, beclomethasone, methapyrilene; anti-inflammatories, eg flunisolide, budesonide, tipredane, triamcinolone acetonide or fluticasone; antitussives, eg noscapine; bronchodilators, eg ephedrine, adrenaline, fenoterol, formoterol, isoprenaline, metaproterenol, phenylephrine, phenylpropanolamine, pirbuterol, reproterol, rimiterol, salbutamol, salmeterol, terbutaline, tolubuterol, orciprenaline; diuretics. isoetharine. amiloride; anticholinergics, eg ipratropium, atropine or cortisone, hydrocortisone hormones, eg oxitropium; or aminophylline, prednisolone; choline xanthines, eg theophyllinate, lysine theophyllinate or theophylline; and therapeutic proteins and peptides, eg insulin or glucagon. It will be clear to a person skilled in the art that, where appropriate, the medicaments may be used in the form of salts (eg as alkali metal or amine salts or as acid addition salts) or as esters (eg lower alkyl esters) or as solvates (eg hydrates) to optimise the activity and/or stability of the medicament and/or to minimise the solubility of the medicament in the propellant.

Preferred are those compounds which are also substantially insoluble in the co-solvent. Particularly preferred as medicament is salbutamol either as base or as a salt and especially salbutamol sulphate.

Co-solvents may be selected from polar alcohols and polyols, particularly  $C_1$ - $C_6$  aliphatic alcohols and polyols, such as propylene glycol, and preferably ethanol. Levels of co-solvent will be between 6% and 25% w/w of the total canister content, preferably between 10-15% w/w of canister content.

The propellant may be a hydrofluorocarbon, particularly P134a or P227. Other hydrofluorocarbons or hydrocarbons or aliphatic gases (eg Dimethylether) may be added to modify the

propellant characteristics as required.

The product is preferentially produced by weighing the active medicament and suspending it in the co-solvent. The appropriate amount of suspension is then dosed into the can, followed by a second dose of propellant or propellant mix. However, a one shot fill or any other equivalent method may be employed.

The normal medicinal product on the market has an actuator with spray orifice diameter of about 480 microns. However, with the larger percentages of ethanol envisaged in this invention, it is desirable that the co-solvent evaporates from the particles as rapidly as possible.

This is achieved by reducing the aperture to between 100-300 microns, which for the same dosage or drug, gives more rapid evaporation of the co-solvent. A particularly preferred embodiment of the invention is a combination of a level 10-15% co-solvent (normally ethanol) with a stem aperture of 150-250 microns.

The invention is further described by means of example but not in any limitative sense.

### Example

Salbutamol Sulphate	0.039
Ethanol	0.97g
Tetrafluoroethane (P134a)	7.5g

The salbutamol sulphate previously micronised to give over 90% of particles below 10 microns was weighed out and added to the ethanol. The suspension was mixed until is was smooth and uniform and then filled into the aerosol canister. The metering valve assembly was crimped (preferably vacuum crimped) on the canister and then the P134a was filled through the valve. The valve capacity is such as to deliver 100 micrograms of salbutamol, as salbutamol sulphate per actuation.

A particularly preferred use of such a canister is in a patient breath operated device rather than the normal hand

operated device. Such devices are available commercially such as those under the trade mark "Easi-Breathe".

#### Claims:

- 1. A medicinal aerosol formulation comprising a particulate medicament, a fluorocarbon propellant and 6% to 25% w/w of the total formulation of a polar co-solvent, such formulation being substantially free of surfactant.
- 2. A medicinal aerosol formulation, comprising one or more particulate medicaments, one or more fluorocarbon or hydrocarbon or aliphatic gas propellants and 6% to 25% w/w of a polar co-solvent.
- 3. A formulation as claimed in claim 1 or claim 2, wherein the medicament is an anti-allergic, a bronchodilator or an anti-inflammatory steroid.
- 4. A formulation as claimed in claim 3, where the medicament is ephedrine, adrenaline, fenoterol, formoterol, isoprenaline, metaproterenol, phenylephrine, phenylpropandamine, pirbuterol, reproterol, rimiterol terbutaline, isoetharine, orciprenaline, salbutamol, salmeterol, sodium cromoglycate, fluticasone, beclomethasone or similar molecule and any physiologically acceptable salt, solvate or ester of such compound.
- 5. A formulation, as claimed in claims 1-3, where the medicament is a salt of salbutamol.
- 6. A formulation, as claimed in claims 1-3, where the medicament is a salt of formoterol (sometimes called eformoterol).
- 7. A formulation according to any of claims 1 to 5, wherein the propellant is 1,1,1,2-tetrafluoroethane or 1,1,1,2,3,3,3-heptafluoro-n-propane.
  - 8. A formulation according to any of claims 1 to 5,

where the co-solvent level is 10-15%.

- 9. A formulation according to any of claims 1-5, wherein the polar co-solvent is ethanol.
- aerosol formulation, which comprises a container capable of withstanding the vapour pressure of the propellant used, which container is closed with a metering valve and contains a pharmaceutical aerosol formulation which comprises particulate medicament, a propellant consisting all or part of fluorocarbon and 6% to 25% of a polar co-solvent, which is substantially free of surfactant.
- 11. A canister according to claim 9, fitted into an adaptor with an aperture of 100-300 microns.
- 12. A product according to claims 9 and 10 where the medicament is as per claim 4.
- 13. A product according to claims 9-11, where the medicament is a salt of salbutamol.
- 14. A product according to claims 9-11, where the medicament is a salt of formoterol.
- 15. A canister according to claims 9 and 10, which is actuated by a breath operated device.
- 16. A product according to claim 15, where the medicament is a salt of salbutamol.
- 17. A product according to claim 15, where the medicament is a salt of formoterol.

# INTERNATIONAL SEARCH REPORT

latern 13 Application No PCT/GB 97/01502

A. CLASS	FICATION OF SUBJECT MATTER		
A	61 K 9/12		·
		6	
	o International Patent Classification (IPC) or to both national classification	RELICEUON ENG ITC	· · · · · · · · · · · · · · · · · · ·
	SEARCHED  ocumentation searched (classification system followed by classification system system followed by classification system syst	cation symbols)	
	61 K	•	
Dawrents	uon searched other than minimum documentation to the extent th	at such documents are included in the fields to	urthed
Documenta	GOI TEALING ONLY AND PRINCIPLE CONTINUES OF AN ANAMAS.		
Electronic o	ials base consided during the international search (name of data	base and, where practical, search terms used)	
C. DOCUM	AENTS CONSIDERED TO BE RELEVANT		Relevant to claim No.
Calegory *	Citation of document, with indication, where appropriate, of th	e relevant passages	Ketanu m cam ver
			1_5
A	WO, A, 93/11 745	01	7-10
	(GLAXO GROUP LIMITE) 24 June 1993 (24.06	.93).	,
•	abstract; claims 1-		
			1_6
A	WO. A. 93/11 743		1-5, 7-10
٠.	(GLAXO GROUP LIMITE 24 June 1993 (24.06	93).	, 20
	abstract; claims 1-		
	<b></b>	•	1_5
A	WO, A, 94/03 153	n I	1-5, 7-10
	(GLAXO GROUP LIMITE 17 February 1994 (1	7.02.94),	
	abstract; claims 1-		
		· · · .	1-5,
Α	WO, A, 94/13 262 (JAGER et al.) 23 J	une 1994	7-9
. '	(23.06.94),	;	,
	abstract; claims 1-	38.	
·			
X Fu	ther documents are listed in the continuation of box C.	Patent family members are listed	en annex.
* Special o	ategories of cited documents:	T later document published after the in	ternational filing date
'A' document defining the general state of the art which is not cited to understand the pr			and the application and
cour	dered to be of particular relevance r document but published on or after the international	invention  *** decrease of perticular relevance: th	e darmed invention
ម្រាប់	dele	cannot be considered novel or cannot involve an inventive step when the	X DE CONTIDEIAN AD
whic	nent which may throw doubts on priority claim(s) or h is cited to establish the publication date of another on or other special reason (as specified)	"Y" document of particular relevance; th	e claimed invention inventive step when the
'O' docu	ment referring to an oral disdosure, use, exhibition or	document is compared with one of i	note other then open.
.b. qoem	means nent published prior to the international filing date but than the priority date claimed	in the art. '&' document member of the same pater	
	e actual completion of the international search	Date of mailing of the international	
	03 September 1997	2 6. 09. 97	
Name and	mailing address of the ISA	Authorized officer	
	European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 IEV Rippmik	SCHNASS e.h	
	Tel. ( - 31-70) 340-2040, Tr. 31 651 epo nl, 1'ax: ( - 31-70) 340-3016	JUNIASS E.N	•

## INTERNATIONAL SEARCH REPORT

-2-

Interprenal Application No
PCT/GB 97/01502

	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Caregory .	Cittatat at an ameragut aung abbabasan, or an accessive barrates	
·		
	especially claim 4.	
•		
		,
	•	
!		
		i .
	·	
•		·
		·
	,	
	<b>\</b>	,
		•
		· ·
		·
		·
	·	
		1

### ANHANG

### ANNEX

### ANNEXE

zum internationalen Recherchenbericht über die internationale Patentanseldung Mr. to the International Search Report to the International Patent Application No.

au rapport de recherche inter-national relatif à la demande de brevet international n°

## PCT/GB 97/01502 SAE 162218

In diesem Anhang sind die Hitglieder der Patentfamilien der im obergementen internationalen Recherchenbericht cited in the abovementioned internationalen Recherchenbericht cited in the abovementioned international search report. The Diffice is no may liable for these particulars of information.

La presente annexe indique les erebres de la famille de brevets relatifs aux documents de brevets cités dans le rapport de recherche international visée ci-dessus. Les reseignements fournis sont donnés à titre indicatif et n'engagent pas la responsibilité de l'Office.

In Recherchenbericht angeführten Patentdokument Patent document cited in soarch report Document de brevet cité dans le rapport de recherche	Datum der Veröffentlichung Publication date Date de publication	Mituliedier) der Patentfamilie Patent family member(s) Membre(s) de la famille de brevets	Datum der Veröffentlichung Amblication date Date de publication	
AO A1 9311745		12022224563890773773455388025241181345564642934548587760000773773255588825376133588442934454858776000041125556666577024455556080004444447744445761200004444447755555566697999999999999999999999	カッカラッカラッカラッカー	
WD A1 9311743	24-06-93	120222245638907777345518802 405999900000777734246612 208012353890041155538802 2000000000000000000000000000000000	マタラクラララララフランショム444577457 180777700028831539999999999999999999999999999999999	

		24:181:34556464294558748 75537613338844294694795774636949 960100000444775581166949 97777777777777777777777777777777777	4557575555544564577757524757 99999999999999999999999999999999999	
WO A1 9403153		AU B2 670616 AU AI 70363/96 CN A 1088436 EP AI 658101 EP AI 775484 GB AO 9216382	25-07-96 09-01-97 29-06-94 21-06-95 28-05-97	
	23-06-94	44470530027069755574799755574799757557479975755742884677685766975747997975747997574799757479975747997574799757479975747997574799779779779797979	1092-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-	